

No	Condition & Reason	
43	No lighting for use during excavation of materials or construction of the IWMF within the site shall be erected or installed until details of the location, height, design, sensors and luminance have been submitted to and approved in writing by the Waste Planning Authority. The lighting details shall be such that no lighting shall exceed 5 lux maintained average luminance. The lighting details with respect to excavation of materials shall be such that the lighting shall not be illuminated outside the hours of 0700 and 1830 Monday to Friday and 0700 and 1300 Saturday and at no time on Sundays, Bank or Public Holidays except for security and safety lighting activated by sensors. The lighting details with respect to construction of the IWMF shall be such that the lighting shall not be illuminated outside the hours of 0700 and 1900 Monday to Sunday and at no time on, Bank or Public Holidays except for security and safety lighting activated by sensors. The details shall ensure the lighting is designed to minimise the potential nuisance of light spillage from the boundaries of the site. The lighting shall thereafter be erected, installed and operated in accordance with the approved details.	
	<i>Reason: In the interests of residential and local amenity and protection of the environment and in the interest of protecting biodiversity and in the interests of highway safety and to comply with MLP policies S1, S10, S12, DM1, WLP policies W3A, W8A, W10E and W10F, BCS policies CS5 and CS8 and BDLP policies RLP 36, RLP 62, RLP 65 and RLP 90.</i>	
Document – Electronic Title		
	Author	
C43.1	Construction Lighting	Honace
C43.2	Lighting scheme_P18536R2a	Hilclare
C43.3	Hilclare Rio_Data Sheet	Hilclare
C43.4	Hilclare Amigo_Data Sheet	Hilclare

Submitted to ECC			By:	Date:
With s73*	<input checked="" type="checkbox"/>	Independently		
All above Documents				
Others to follow?				

*NOTE: If Section 73 is approved there will be a new Planning Permission Number